

## Innovative Lighting Solutions Define Form And Function.

You can't fix what you can't see. That's why Snap-on® provides lighting solutions that shine brighter, last longer and offer a wider range to view the jobs in front of you.

- Versatile—Match the illumination to the task: underhood, headlight, rechargeable, corded, flexible, UV and cordless options suit the need and the space. The versatility of the line reflects the requirements of the job.
- Portable—Get the job done faster with hands-free, clip-on lighting options. From penlights to magnetic swivel lights, direct the light where you need it, when you need it.
- Dependable—Maximum brightness, a rugged exterior and rigorous testing ensure that your lighting will last day in and day out.








# LIGHTING

## Flashlights (Non-Rechargeable)

### High Output LED Flashlights

- Precision-machined aircraft aluminum
- Crush resistant 2000+ lbs.
- O-ring provides ultra-tight seal
- Shock-proof and water resistant
- Three way tactical switch (momentary on/constant on/lockout mode)

Stock No.	Battery Type	Number of Batteries (up to)	Effective Range	Lumens	Overall Length, Inches	UV Light	Run Time (hours)
 ECF925B	AA	1	100	25	4		2
 ECF950A	123	2	120	25	4 3/4		20
 ECF965B	AA	2	150	100	5 7/8		3
 ECF975A	123	2	250	135	6		2.5
 ECFUV950 LED/UV	123	2				Yes	4 3/4



ECFHED1

### ECFHED1 LED Headlight Blue-Point®

- Bright 1 Watt LED never needs replacing
- Pivoting head and adjustable headband
- Water resistant
- 30 hours continuous run time on (3) AAA alkaline batteries



ECFB200BL



ECFB200S

### ECFB200BL/ECFB200S Penlight Blue-Point.

- High intensity 3 Watt, 100 lumen penlight
- 6.25" in length, 1/2" in diameter
- Includes pocket clip and protective rubber tip
- Comes in blue (ECFB200BL) and silver (ECFB200S)
- Includes (3) AAA batteries



ECFLED24

### ECFB1 Aluminum LED Flashlight Blue-Point.

- 1 Watt LED with convex magnifying lens for maximum brightness
- Anodized aluminum construction for durability
- Push button On/Off tail cap switch with silent feature
- Includes (3) AAA batteries



ECFB1



ECF201A

### ECF201A Aluminum Police Style Flashlight Blue-Point.

- 3 Watt LED flashlight features K2 Luxeon LED produces 130 lumens
- Aerospace grade extruded aluminum body
- Average run time of 10 hours on (2) D alkaline batteries (not included)

### ECFLED24 Rotating Magnetic LED Work Light Blue-Point.

- 24 high output LEDs provide bright illumination
- Sturdy blue aluminum housing for durability
- Rotating head allows directional positioning
- Powerful magnetic base for secure mounting
- Includes (3) AAA batteries



ECFB101

### ECFB101 Slim LED Flashlight Blue-Point.

- Bright and durable 1 Watt Luxeon LED flashlight
- Fluted collar design minimizes rolling on flat surfaces
- Includes (2) AA alkaline batteries and wrist strap
- Water and shock resistant



ECF35

### ECF35 Explosion Proof Flashlight Blue-Point.

- Powered by (2) D cells
- Features battery decks to isolate batteries from the bulb
- High-impact plastic body for durability
- Channel gasket that waterproofs the lens and lens cap
- UL listed and Bureau of Mines approved
- U.S. Fed. And Mil. Specs. MX-992/U, Type II, Style 1, except color

## Flashlight Accessories

### ECFH1 AA/AAA Flashlight Holder.

- Magnetic base offers secure hold of AA/AAA flashlights
- Ball joint permits 360° rotation and pivots 70°
- Enables light beam of flashlight to be positioned as needed

### ECFH2 D-Cell Flashlight Holder.

- Magnetic base offers secure hold of D cell flashlights
- Ball joint permits 360° rotation and pivots 70°
- Enables light beam of flashlight to be positioned as needed

### ECFH3 C-Cell Flashlight Holder.

- Magnetic base offers secure hold of C cell flashlights with width of 3/4" to 1-1/8"
- Ball joint permits 360° rotation and pivots 70°
- Enables light beam of flashlight to be positioned as needed



ECFH1  
Flashlight not included.

ECFH3

### ECFSP30 Cordless 30 LED Utility Light.

- Full charge provides continuous operation for up to 8 hours
- Versatile light positioning - swivel hook, stand on end, lay on side
- 7.2 Volt NiMH 1300 mAh battery; 120V AC charger input
- Impact resistant housing and shatterproof polycarbonate lens



ECFSP30

### ECFLED215 Rechargeable 21 LED Shop Light Blue-Point.

- Rechargeable and cordless compact shop light that can be taken anywhere
- 21 front-facing LEDs provide high light output to work surfaces
- 5 LED spot light provides up to 15 hours of continuous illumination
- Multi-function switch toggles between front and top LED illumination
- 180° folding design offers the ultimate in flexible positioning
- Dual magnetic design for parallel use or multi angle
- Includes both 110V AC charger and 12V in-car charger



ECFLED215

### ECFLED18 Folding LED Pocket LightBlu e-Point.

- 18 super bright LEDs
- Rechargeable NiMH battery pack
- Foldable hook for added flexibility
- Approximately 7 hour run time



ECFLED18

### ECFLED650 Compact Rechargeable Shop Light Blue-Point.

- Built-in hook and stand for multi-positional use
- Integrated belt clip
- Cordless and rechargeable - up to 4 hours of use between charges
- 15 high output LEDs - generate 650 Lux light output
- Precision reflector provides wide angle light output
- Virtually unbreakable polycarbonate lens
- Compact design fits in narrowest roll cab drawer for secure storage
- Recharges in the shop or vehicle with included 110V AC and 12V DC chargers



ECFLED650

**ECFLED650-1 110V AC Adaptor.** 110V AC adaptor for the ECFLED650

**ECFLED650-2 12V DC Car Charger.** 12V DC car charger for the ECFLED650



ECF490

### ECF490 Rechargeable Xenon® FlashlightBlu e-Point.

- 4.8V Xenon bulb for maximum light output
- Equivalent brightness to a (3) D cell flashlight
- Tail cap On/Off push button with silent signal feature
- Includes (2) 4.8V rechargeable batteries, and 120V AC adaptor



ECFDUX

### ECFDUX Rechargeable Xenon Blue-Point.

- Xenon bulbs easily switch from single to dual beam for added brightness
- Rugged ABS plastic body with balanced pistol-grip design
- Convenient metal hanging/storage bracket
- Powered by 6V 2.3 Ah lead acid battery



ECFDUXLED

### ECFDUXLED Rechargeable LED SpotlightBlu e-Point.

- 2 high intensity Cree LEDs produce up to 204 lumens
- Heavy duty overmold grips for sure handling
- Trigger On/Off switch with side lock mechanism
- Includes 110V AC and 12V DC chargers



ECUB9500

### ECUB9500 Cordless Rechargeable LED Under-Hood LightBlu e-Point.

- 95 ultra bright LEDs provide 9000 Lux output at 0.5m
- Extends from 47" to 71" to cover a wide range of vehicles
- Rubber coated hooks protect paintwork
- 4400 mAh battery provides 5 hours of constant light output



**WARNING**



- Do not remove or bypass the grounding prong on any electrical plug
- Read safety precautions on pages 594 to 597

# LIGHTING

## Utility Lights

### Single Tube

#### ECU4250A 15 Watt Fluorescent Utility Light.


- Uses a single tube 15 Watt fluorescent bulb (ECU250A17)
- 25' 3 conductor extension cord included
- UL/CUL listed

#### ECU415BK 15 Watt Fluorescent Utility Light.

- Uses a single tube 15 Watt fluorescent bulb (ECU250A17)
- High impact material in handle and top cap for durability
- Cord length 25'

#### ECU444AKT Underhood Utility Light.

- Fits hood widths from 47" to 80"
- Uses a single 15 Watt fluorescent tube (ECU4443)
- Padded hooks prevent damage to hood
- Flexible 25' cord resists oil and water



### Single Tube Specifications

Stock No.	Lamp Style	Voltage	Bulb Type	Bulb Wattage	Bulb Length, inches	Cord Type	Cord Length, feet	Replacement Bulb	Overall Length, inches
ECU4250A	Tubular	120V AC	Single	15	17 3/4	18/2 SJTOW	25	ECU42501	23
ECU415BK	Tubular	120V AC	Single	15	17	18/2 SJTOW	25	ECU250A17	25
ECU444AKT	Tubular	120V AC	Single	15	41	18/2 SJTOW	25	ECU4443A	44 1/4



ECU350BK (50)  
ECU325BK (25)



ECU4325A



ECU4425A (25)  
ECU4450A (50)

### Twin Tube

#### ECU325BK 13 Watt Compact Fluorescent Utility Light.

- High impact material in handle and top cap for durability
- Diffuser optimally spreads light transmission
- Metal hanging hook for flexibility

#### ECU350BK 13 Watt Compact Fluorescent Utility Light.

- High impact material in handle and top cap for durability
- Diffuser optimally spreads light transmission
- Metal hanging hook for flexibility

#### ECU4325A 13 Watt Compact Fluorescent Utility Light.

- Instant On/Off switch provides "light on command"
- Hanging hooks for portability
- UL/CUL listed

#### ECU4425A 13 Watt Angle Head Fluorescent.

- Angle design improves lighting in tight areas
- Instant start cold weather bulb
- 25' sub-zero premium cord is flexible to -58°
- 13 Amp power outlet in handle



ECU425ABK

#### ECU4450A 13 Watt Angle Head Fluorescent.

- Angle design improves lighting in tight areas
- Instant start cold weather bulb
- 50' sub-zero premium cord is flexible to -58°
- 13 Amp power outlet in handle

#### ECU425ABK 13 Watt Angle Head Fluorescent

- Case and lens made from impact resistant proprietary material
- Ratcheting metal hanging hook for better positioning
- 25' cold weather cord is flexible to -58°, resists chemicals and abrasions

- Uses ECU325-4 rough service bulb

#### ECU325-4 Rough Service Bulb.

- Silicon cocoons internal components in base to extend starter life
- Superior durability in harsh conditions
- Fits most twin tube 13 Watt lights

### Twin and Quad Tube Specifications

Stock No.	Lamp Style	Voltage	Bulb Type	Bulb Wattage	Bulb Length, inches	Cord Type	Cord Length, feet	Replacement Bulb	Overall Length, inches
ECU325BK	Tubular	120V AC	Twin	13	7	18/2 SJTOW	25	ECU325-4	13
ECU350BK	Tubular	120V AC	Twin	13	7	18/2 SJTOW	50	ECU325-4	13
ECU4325A	Tubular	120V AC	Twin	13	7	18/2 SJTOW	25	ECU43251A	12 1/2
ECU4425A	Angle Head	120V AC	Twin	13	7 1/4	16/3 SJEOW	25	ECU43251A	16
ECU425ABK	Angle Head	120V AC	Twin	13	7	16/3 SJOW	25	ECU325-4	14
ECU4450A	Angle Head	120V AC	Twin	13	7	16/3 SJTOW	50	ECU43251A	16
ECU4000	Flat Head	120V AC	Quad	26	7	16/3 SJTOW	25	ECU43251A	16



ECU4000



ECU43251A

### Four Tube

#### ECU4000 Dual Twin Utility Light.

- 4 tube, 26 Watt, 13 Amp fluorescent bulb for high light output
- Comfortable, sure grip handle with fingertip switch
- Grounded outlet in handle base
- 25' cord, UL/CUL listed
- Uses ECU43251A replacement bulb

#### ECU43251A Replacement Bulb.

- 13 Watt, twin tube, flicker free cold temperature bulb



ECUR4500A



ECUR2450A



ECURO2350A

### Reel Type Utility Lights

#### ECUR4500A 15 Watt Heavy Duty Reel Light.

- Cord reel mounts to wall or ceiling
- 360° swivel hook plus 2 horizontal hooks for flexibility
- 23" long, shatter resistant tube assembly and housing
- UL/CUL listed

#### ECUR2450A Heavy Duty Reel Angle Head Light.

- 13 Watt fluorescent light on 50' reel
- 13 Amp, 3 prong outlet in handle
- 180° swivel hook on lamp
- UL/CUL listed

#### ECURO2350A 13 Watt Heavy Duty Reel Light.

- Compact 13 Watt twin tube design
- Cord reel mounts to wall or ceiling
- Automatic switch activates light when cord is extended, deactivates when retracted
- UL/CUL listed

#### ECRB4430 Incandescent Reel Light.

- 75 Watt incandescent light with 30' reel
- Adjustable cord stop for convenience
- 3 prong grounded outlet for auxiliary power source



ECRB4430



ECUR4000

#### ECUR4000 26 Watt Fluorescent Reel Light.

- Dual twin tube, 26 Watt fluorescent light on 50' cord reel
- 13 Amp power outlet in handle
- 360° ratcheting swivel hanging hook for multiple location usage
- UL/CUL listed

### Reel Type Specifications

Stock No.	Lamp Style	Voltage	Bulb Type	Bulb Wattage	Bulb Length, inches	Cord Type	Cord Length, feet	Power Lead Length, feet	Replacement Bulb	Overall Length, inches
ECUR4500A	Tubular	120V AC	Single	15	17 3/4	16/3 SJTOW	50	2	ECU42501	23
ECUR2450A	Angle Head	120V AC	Twin	13	7	16/3 SJTOW	50	2	ECU43251A	16
ECURO2350A	Tubular	120V AC	Twin	13	7	16/3 SJTOW	50	2	ECU43251A	12 1/2
ECRB4430	Incandescent Metal Shield	120V AC	Incandescent	75 max.		16/3 SVT	30	2		12
ECUR4000	Twin (2 bulbs)	120V AC	Twin	26	7	16/3 SJTOW	50	2	ECU43251A	16



**WARNING**



- Do not remove or bypass the grounding prong on any electrical plug
- Read safety precautions on pages 594 to 597

# LIGHTING

## Utility Lights



ECU4007

### Fluorescent Utility Light

#### ECU4007 Twin Tube Utility Light.

- 13 Watt twin tube light works with any standard extension cord
- 360° swivel hook for hanging flexibility
- Replacement bulb is ECU43251A



ECU300



ECU44255A

### Utility Light Accessories

#### ECU300 Magnetic Utility Light Clamp.

- Expandable clamp on a magnetic base
- Can be used with many fluorescent utility lights or "D" cell flashlights

#### ECU44255A Magnetic Utility Light Clamp.

- Expandable clamp on a magnetic base
- Can be used with many fluorescent utility lights

## Extension Cords and Reels



EC267D



EC268D



ECR4300A



ECRB4300

### Extension Cords—Blue-Point®

#### EC267D Extension Cord.

- 25', 16/3 gauge SJTW cord stays flexible in cold weather
- Oil and water resistant

#### EC268D Extension Cord.

- 50', 16/3 gauge SJTW cord stays flexible in cold weather
- Oil and water resistant

### Multi-Outlet Strips and Reels

#### ECR4300A 50 Multi-Outlet Cord Reel.

- Reel mounts on wall or ceiling with 180° swivel bracket
- 2' power cord has three grounded outlets
- Includes mounting hardware

#### ECRB4300 30 Multi-Outlet Cord Reel Blue-Point.

- Reel mounts on wall or ceiling with 180° swivel bracket
- 2' power cord has three grounded outlets
- Includes mounting hardware

## Flexible Lights/Magnifiers



ECF1600



YA5100B

### Flexible Lights—Blue-Point

#### ECF1600 Bendable Light.

- 10" flexible shaft with high intensity lamp
- Heavy duty barrel handle and switch
- Includes (2) AA batteries

#### YA5100B Bendable Light.

- 15" flexible shaft with 24" extension cover for added reach
- Brilliant krypton lamp runs on (2) AA cells

#### YA5100-2 Flashlight Bulb.

- Replacement bulb for YA5100B

#### YA5100B-1 Flashlight Switch.

- Replacement switch for YA5100B



YA537

### Magnifier

#### YA537 Pocket Magnifier.

- Folding magnifier includes dual 3x lenses for combined 6x effect